

EuroSanitary



法来西都水暖器材(宁波)有限公司
EUROSANITARY (NINGBO) CO.,LTD

地址：中国浙江省慈溪市经济开发区杭州湾新区滨海一路
Add: Binhai Road 1,Cixi Economic Development Zone Hangzhouwan Bay
New Zone-315336 Cixi City,Zhejiang P.R.China

电话(Tel): 0086-574-63077892

传真(Fax): 0086-574-63077761

电子邮件(E-mail): wood@eurosanitary.com

网址(Website) : www.eurosanitary.com

Revision 2



EuroSanitary



**EUROSANITARY
CONNECTIONS**



公司简介 COMPANY PROFILE

法来西都水暖器材（宁波）有限公司成立于2002年，是有着丰富的编织软管制造经验的欧洲公司，是第一家位于宁波欧洲工业园（中国浙江）的公司，从一个合资企业转化为拥有混合管理团队的模式：欧洲和中国。采用最好的双重文化、技术和工作方式。

我们的主题是满足顾客的需求并提供最好的产品和服务给客户。

我们一直追求先进的设备来满足生产和测试以使我们的产品达到最高品质。

我们专业于世界各地的主要品牌编织软管的大型生产，我们定制的产品服务能满足客户在材料品质、标签、包装等各方面的要求。

告诉我们您需要什么，我们会满足您的要求。

EuroSanitary (Ningbo) Co.,Ltd was found in 2002 from a european company with a large experience in flexible hoses manufacturing. Was the first company located in Ningbo European Industrial Park (Zhejiang, China), From a joint venture become a owned management with a mixed team: european and chinese . Taking the best of two cultures, technology, and working way.

Our let motif is satisfied the request from our costumer and offer to them our best.

We are always looking for the best quality in our products with advanced equipments for production and testing.

We specialize in large productions for major brands hoses in the world.

Our customization product service meets the demands of our customers in terms of quality of materials, sleeve mark, labeling, packaging, etc.

Tell us what you need and we will offer it.



一、编织软管系列 BRAIDED HOSE SERIES

MINI	01
C.G.S	02
C.G.S ELBOW	03
C.G.S USA	04
C.G.S BICONE	05
C.G.S NYLON	06
C.G.S COFFEE MACHINE	07
PLUSMINI	08
PLUS	09
CONTA 3/4"	10
CONTA 1"	11
9.3*12.5	12
9.5*14	13
10*14	14
GAS	15
PLUS GAS	16
GAS(10.5*14)	17

二、金属波纹管系列 METAL CORRUGATED PIPE SERIES

METALLIC CGS	18
FLEXIGAS BASIC	19

三、妇洗器 SHATTAF

SHATTAF	20
---------	----



MINI



技术参数


胶管内径: $\varnothing 6.4\text{mm}$
 胶管外径: $\varnothing 9\text{mm}$
 长度(cm):10-100
 应用: 水龙头

Technical characteristics

Inner: $\varnothing 6.4\text{mm}$
 Outer: $\varnothing 9\text{mm}$
 Length(cm): 10-100
 Applications :Faucets

型号 (Specification) :

M8-H1/2"	ML8-H1/2"	M8-H3/8"	ML8-H3/8"
M10-H1/2"	ML10-H1/2"	M10-H3/8"	ML10-H3/8"
M10-M38LARGO	M10-H38M15.		



- ①⑧ Nickel plated brass end fittings. 镀镍铜配件
- ② EPDM rubber washer. EPDM 橡胶垫片
- ③ Brass. 黄铜
- ④⑦ Stainless steel ferrule. 不锈钢帽
- ⑤ Stainless steel wire braid. 不锈钢丝编织
- ⑥ EPDM rubber /PE-Xc inner hose. 内部是EPDM橡胶管/PE-Xc软管
- ⑦ EPDM rubber O-ring. EPDM O型圈



C.G.S



技术参数


胶管内径: $\varnothing 8\text{mm}$
 胶管外径: $\varnothing 12\text{mm}$
 长度(cm):10-100
 应用: 卫浴产品, 水龙头,
 燃气热水器, 脸盘, 妇洗器,
 卫生设施。

Technical characteristics

Inner: $\varnothing 8\text{mm}$
 Outer: $\varnothing 12\text{mm}$
 Length(cm): 10-100
 Applications :Sanitary installations,
 faucets, waters heaters, wash-
 basins, bidets, catering machine

型号 (Specification) :

M8-H1/2"	ML8-H1/2"	M8-H3/8"	ML8-H3/8"
M10-H1/2"	ML10-H1/2"	M10-H3/8"	ML10-H3/8"
M12-H1/2"	M12-H3/8"	H1/2"- H1/2"	H3/8"- H3/8"




- ①⑧ Nickel plated brass end fittings. 镀镍铜配件
- ② EPDM rubber washer. EPDM 橡胶垫片
- ③ Brass. 黄铜
- ④⑦ Stainless steel ferrule. 不锈钢帽
- ⑤ Stainless steel wire braid. 不锈钢丝编织
- ⑥ EPDM rubber inner hose. 内部是EPDM橡胶管
- ⑦ EPDM rubber O-ring. EPDM O型圈





C.G.S ELBOW



技术参数


胶管内径: $\varnothing 8\text{mm}$
 胶管外径: $\varnothing 12\text{mm}$
 长度(cm): 10-100
 应用: 卫浴产品, 水龙头, 燃气热水器, 脸盆, 妇洗器, 卫生设施。

Technical characteristics

Inner: $\varnothing 8\text{mm}$
 Outer: $\varnothing 12\text{mm}$
 Length(cm): 10-100
 Applications: Sanitary installations, faucets, water heaters, wash-basins, bidets, catering machine.

型号 (Specification):


M/F1/2"-Elbow1/2" M/F3/8"-Elbow1/2" M/F1/2"-Elbow3/8"
 M/F3/8"-Elbow3/8" M/F1/2"-Elbow3/4" M/F3/8"-Elbow3/4"



- ①⑧⑨Nickel plated brass end fittings. 镀镍铜配件
- ②EPDM rubber washer. EPDM 橡胶垫片
- ③Brass. 黄铜
- ④⑦Stainless steel ferrule. 不锈钢帽
- ⑤Stainless steel wire braid. 不锈钢丝编织
- ⑥EPDM rubber inner hose. 内部是EPDM橡胶管



C.G.S USA



技术参数


胶管内径: $\varnothing 8\text{mm}$
 胶管外径: $\varnothing 12\text{mm}$
 长度(cm): 10-100
 应用: 卫浴产品, 水龙头, 燃气热水器, 脸盆, 妇洗器, 卫生设施。

Technical characteristics

Inner: $\varnothing 8\text{mm}$
 Outer: $\varnothing 12\text{mm}$
 Length(cm): 10-100
 Applications: Sanitary installations, faucets, water heaters, wash-basins, bidets, catering machine.

型号 (Specification):

Fcom1/4"-Fcom1/4" Fcom1/4"-Fcom3/8" Fcom3/8"-Fbc7/8" PVC
 Fcom3/8"-Fcom3/8" Ffip1/2"-Fcom3/8" Ffip1/2"-Ffip1/2"
 M10-Fcom3/8" M10-Ffip1/2" ML10-Fcom3/8" ML10-Ffip1/2"




- ①Nickel plated brass end fittings. 镀镍铜配件
- ②EPDM rubber washer. EPDM 橡胶垫片
- ③Brass. 黄铜
- ④⑦Stainless steel ferrule. 不锈钢帽
- ⑤Stainless steel wire braid. 不锈钢丝编织
- ⑥EPDM rubber inner hose. 内部是EPDM橡胶管
- ⑨White PVC. 白色PVC





C.G.S BICONE



技术参数


胶管内径: $\varnothing 8\text{mm}$
 胶管外径: $\varnothing 12\text{mm}$
 长度(cm):10-100
 应用: 卫浴产品, 水龙头, 燃气热水器, 脸盆, 妇洗器, 卫生设施。

Technical characteristics

Inner: $\varnothing 8\text{mm}$
 Outer: $\varnothing 12\text{mm}$
 Length(cm): 10-100
 Applications :Sanitary installations, faucets,waters heaters,wash-basins, bidets,catering machine.

型号 (Specification) :


M1/2"-B10 M1/2"-B12 M1/2"-B14 H1/2"-B10 H1/2"-B12
 H1/2"-B14 M3/8"-B10 M3/8"-B12 M3/8"-B14 H3/8"-B10
 H3/8"-B12 H3/8"-B14 B10-B10 B10-B12 B10-B14
 B12-B12 B12-B14 B14-B14.



- ①③⑧ Nickel plated brass end fittings. 镀镍铜配件
- ② Brass. 黄铜
- ④⑦ Stainless steel ferrule. 不锈钢帽
- ⑤ Stainless steel wire braid. 不锈钢丝编织
- ⑥ EPDM rubber inner hose. 内部是EPDM橡胶管



C.G.S NYLON



技术参数


胶管内径: $\varnothing 8\text{mm}$
 胶管外径: $\varnothing 12\text{mm}$
 长度(cm):10-100
 应用: 卫浴产品, 水龙头, 燃气热水器, 脸盆, 妇洗器, 卫生设施。

Technical characteristics

Inner: $\varnothing 8\text{mm}$
 Outer: $\varnothing 12\text{mm}$
 Length(cm): 10-100
 Applications :Sanitary installations, faucets,waters heaters,wash-basins,bidets,catering machine

型号 (Specification) :

M/F3/8" M/F1/2" M/F3/4" F-F3/8" F-F1/2"
 F-F3/4" M/F1/2"-F3/8" F1/2"-F3/4" M3/8"-F1/2"




- ①⑦ Nickel plated brass end fittings. 镀镍铜配件
- ②⑧ EPDM rubber washer. EPDM 橡胶垫片
- ③⑨ Brass. 黄铜
- ④⑩ Stainless steel ferrule. 不锈钢帽
- ⑤ Red & Blue nylon braid. 红蓝线腈纶丝编织
- ⑥ EPDM rubber inner hose. 内部是EPDM橡胶管





C.G.S COFFEE MACHINE



技术参数


胶管内径: $\varnothing 8\text{mm}$
 胶管外径: $\varnothing 12\text{mm}$
 长度(cm): 10-100
 应用: 咖啡机

Technical characteristics

Inner: $\varnothing 8\text{mm}$
 Outer: $\varnothing 12\text{mm}$
 Length(cm): 10-100
 Applications :Coffee machine

型号 (Specification) :



M/F1/2"-Elbow3/8" M/F3/8"-Elbow3/8"



- ①⑦⑧Nickel plated brass end fittings. 镀镍铜配件
- ②Brass. 黄铜
- ③⑥Stainless steel ferrule. 不锈钢帽
- ④Stainless steel wire braid. 不锈钢丝编织
- ⑤EPDM rubber inner hose. 内部是EPDM橡胶管



PLUSMINI



技术参数


胶管内径: $\varnothing 11.3\text{mm}$
 胶管外径: $\varnothing 15.1\text{mm}$
 长度(cm): 10-100
 应用: 燃气热水器, 电热水器, 太阳能设施等, 蓄水池, 空调机组。

Technical characteristics

Inner: $\varnothing 11.3\text{mm}$
 Outer: $\varnothing 15.1\text{mm}$
 Length(cm): 10-100
 Applications :Gas waters heaters, Electrical waters heaters, Solar energy, etc, Cistern, Fan coils.

型号 (Specification) :

M/F1/2" M/F3/4" F-F1/2" F-F3/4"
 M/F1/2"-F3/4" F1/2"-M3/4" Elbow1/2"-M/F3/4"




- ①⑦Nickel plated brass end fittings. 镀镍铜配件
- ②⑧EPDM rubber washer. EPDM 橡胶垫片
- ③⑨Brass. 黄铜
- ④⑩Stainless steel ferrule. 不锈钢帽
- ⑤Stainless steel wire Red & Blue nylon braid. 不锈钢丝加红蓝线编织
- ⑥EPDM rubber inner hose. 内部是EPDM橡胶管





PLUS



技术参数

胶管内径: $\varnothing 13\text{mm}$

胶管外径: $\varnothing 17\text{mm}$

长度(cm):10-100

应用: 燃气热水器, 电热水器, 太阳能设施等, 蓄水池, 空调机组。

Technical characteristics

Inner: $\varnothing 13\text{mm}$

Outer: $\varnothing 17\text{mm}$


Length(cm): 10-100

Applications :Gas waters heaters, Electrical waters heaters,Solar energy,etc,Cistem, Fan coils.

型号 (Specification) :

M/F1/2" MF3/4" F-F1/2" F-F3/4"


M/F1/2"-F3/4" F1/2"-M3/4" Elbow1/2"-M/F3/4"



- ①⑦Nickel plated brass end fittings. 镀镍铜配件
- ②EPDM rubber washer. EPDM 橡胶垫片
- ③Brass. 黄铜
- ④⑧Stainless steel ferrule. 不锈钢帽
- ⑤Stainless steel wire braid. 不锈钢丝编织
- ⑥EPDM rubber inner hose. 内部是EPDM橡胶管



CONTA 3/4"



技术参数

胶管内径: $\varnothing 19\text{mm}$

胶管外径: $\varnothing 26\text{mm}$

长度(cm):10-100

应用: 水表, 高压设备, 中央空调。

Technical characteristics

Inner: $\varnothing 19\text{mm}$

Outer: $\varnothing 26\text{mm}$


Length(cm): 10-100

Applications :Utility meters, High pressure equipment,HVAC.

型号 (Specification) :

M/F3/4" F-F3/4"

Elbow3/4"-M3/4" Elbow3/4"-F3/4".




- ①②⑦Brass. 黄铜
- ③⑥Stainless steel ferrule. 不锈钢帽
- ④Stainless steel wire braid. 不锈钢丝编织
- ⑤EPDM rubber inner hose. 内部是EPDM橡胶管





■ CONTA 1"



技术参数


胶管内径: $\varnothing 25.3\text{mm}$
 胶管外径: $\varnothing 34\text{mm}$
 长度(cm): 10-100
 应用: 水表, 高压设备, 中央空调。

Technical characteristics

Inner: $\varnothing 25.3\text{mm}$
 Outer: $\varnothing 34\text{mm}$
 Length(cm): 10-100
 Applications: Utility meters, High pressure equipment, HVAC.

型号 (Specification):


M/F-F1" M1"-Elbow 1" H1"-Elbow 1"



- ①③⑧ Nickel plated brass end fittings. 镀镍铜配件
- ② Brass. 黄铜
- ④⑦ Stainless steel ferrule. 不锈钢帽
- ⑤ Stainless steel wire braid. 不锈钢丝编织
- ⑥ EPDM rubber inner hose. 内部是EPDM橡胶管



■ 9.3*12.5



技术参数


胶管内径: $\varnothing 9.3\text{mm}$
 胶管外径: $\varnothing 12.5\text{mm}$
 长度(cm): 10-100
 应用: 卫浴产品, 水龙头, 燃气热水器, 脸盆, 妇洗器, 卫生设施。

Technical characteristics

Inner: $\varnothing 9.3\text{mm}$
 Outer: $\varnothing 12.5\text{mm}$
 Length(cm): 10-100
 Applications: Sanitary installations, faucets, water heaters, wash-basins, bidets, catering machine

型号 (Specification):

Mg1/2"-F1/2" F1/2"-M3/8"





- ①⑧⑩ Nickel plated brass end fittings. 镀镍铜配件
- ② EPDM rubber washer. EPDM 橡胶垫片
- ③ Brass. 黄铜
- ④⑦ Stainless steel ferrule. 不锈钢帽
- ⑤ Stainless steel wire braid. 不锈钢丝编织
- ⑥ EPDM rubber inner hose. 内部是EPDM橡胶管
- ⑨ NBR rubber O-ring. EPDM O型圈





9.5*14




技术参数

胶管内径: $\varnothing 9.5\text{mm}$
 胶管外径: $\varnothing 14\text{mm}$
 长度(cm): 10-100
 应用: 洗衣机。

Technical characteristics

Inner: $\varnothing 9.5\text{mm}$
 Outer: $\varnothing 14\text{mm}$
 Length(cm): 10-100
 Applications :washin machine.


型号 (Specification) :
 F3/4"-Elbow3/4"



- ①⑧⑩Nickel plated brass end fittings.镀镍铜配件
- ②⑨EPDM rubber washer.EPDM 橡胶垫片
- ③Brass.黄铜
- ④⑦Stainless steel ferrule.不锈钢帽
- ⑤Stainless steel wire Red & Blue nylon braid.不锈钢丝加红蓝线编织
- ⑥EPDM rubber inner hose.内部是EPDM橡胶管



10*14




技术参数

胶管内径: $\varnothing 10\text{mm}$
 胶管外径: $\varnothing 14\text{mm}$
 长度(cm): 10-100
 应用: 卫浴产品, 水龙头,
 燃气热水器, 脸盆, 妇洗器,
 卫生设施。

Technical characteristics

Inner: $\varnothing 10\text{mm}$
 Outer: $\varnothing 14\text{mm}$
 Length(cm): 10-100
 Applications :Sanitary installations,
 faucets,waters heaters,wash-
 basins,bidets,catering machine

型号 (Specification) :
 F1/2"-F3/8" M1/2"-F1/2" M1/2"-F3/8"



- ①⑦Nickel plated brass end fittings.镀镍铜配件
- ②⑧EPDM rubber washer.EPDM 橡胶垫片
- ③⑨Brass.黄铜
- ④⑩Stainless steel ferrule.不锈钢帽
- ⑤Stainless steel wire braid.不锈钢丝编织
- ⑥EPDM rubber inner hose.内部是EPDM橡胶管





GAS



技术参数


胶管内径: $\varnothing 8.5\text{mm}$
 胶管外径: $\varnothing 12.3\text{mm}$
 长度(cm): 10-100
 应用: 燃气管。

Technical characteristics

Inner: $\varnothing 8.5\text{mm}$
 Outer: $\varnothing 12.3\text{mm}$
 Length(cm): 10-100
 Applications :City gas and natural gas installations.

型号 (Specification) :

M/F1/2" M/F3/4" F-F1/2"
 F-F3/4" M/F1/2"-F3/4" F1/2"-M3/4".



- ①⑫Nickel plated brass end fittings. 镀镍铜配件
- ②⑪Non-asbestos washer. 非石棉垫片
- ③⑩Brass. 黄铜
- ④⑨LPDE. 塑料套
- ⑤⑧Stainless steel ferrule. 不锈钢帽
- ⑥Stainless steel wire&yellow nylon braid. 不锈钢丝加黄色尼龙丝编织
- ⑦NBR-PVC rubber inner hose. 内部是NBR-PVC阻燃管



PLUSGAS



技术参数


胶管内径: $\varnothing 13\text{mm}$
 胶管外径: $\varnothing 19\text{mm}$
 长度(cm): 10-100
 应用: 燃气管。

Technical characteristics

Inner: $\varnothing 13\text{mm}$
 Outer: $\varnothing 19\text{mm}$
 Length(cm): 10-100
 Applications :City gas and natural gas installations.

型号 (Specification) :

M/F1/2" M/F3/4" F-F1/2"
 F-F3/4" M/F1/2"-F3/4" F1/2"-M3/4".



- ①⑦Nickel plated brass end fittings. 镀镍铜配件
- ②⑧EPDM rubber washer. EPDM 橡胶垫片
- ③⑨Brass. 黄铜
- ④⑩Stainless steel ferrule. 不锈钢帽
- ⑤Stainless steel wire&yellow nylon braid. 不锈钢丝加黄色尼龙丝编织
- ⑥NBR-PVC rubber inner hose. 内部是NBR-PVC阻燃管





GAS(10.5*14)



技术参数


胶管内径: $\varnothing 10.5\text{mm}$
 胶管外径: $\varnothing 14\text{mm}$
 长度(cm):10-100
 应用: 燃气管。

Technical characteristics

Inner: $\varnothing 10.5\text{mm}$
 Outer: $\varnothing 14\text{mm}$
 Length(cm): 10-100
 Applications :City gas and natural gas installations.

型号 (Specification) :


F-F1/2" M1/2"-M1/4" M1/2"-F1/2".



- ①⑥Nickel plated brass end fittings.镀镍铜配件
- ②⑦Brass.黄铜
- ③⑧Stainless steel ferrule.不锈钢帽
- ④Stainless steel wire&yellow nylon braid.不锈钢丝加黄色尼龙丝编织
- ⑤NBR-PVC rubber inner hose.内部是NBR-PVC阻燃管



METALLIC CGS




技术参数

内径: $\varnothing 8\text{mm}$
 外径: $\varnothing 10\text{mm}$
 长度(cm):10-100
 应用: 卫浴产品, 水龙头。

Technical characteristics

Inner: $\varnothing 8\text{mm}$
 Outer: $\varnothing 10\text{mm}$
 Length(cm): 10-100
 Applications :Sanitary installations, faucets.

型号 (Specification) : F1/2"-M10,F1/2"-ML10, F1/2"-F1/2".



- ①Plastic nut.塑料盖
- ②④⑥Nickel plated brass end fittings.镀镍铜配件
- ③EPDM rubber washer.EPDM 橡胶垫片
- ⑤Metalic ripple hose.金属波纹管
- ⑦EPDM rubber O-ring.EPDM O型圈





FLEXIGAS BASIC



技术参数


内径: $\varnothing 12\text{mm}$
 外径: $\varnothing 16.5\text{mm}$
 长度(cm): 15-200
 表面喷塑/不喷塑
 应用: 燃气用。

Technical characteristics

Inner: $\varnothing 12\text{mm}$
 Outer: $\varnothing 16.5\text{mm}$
 Length(cm): 15-200
 Yellow sprayed on surface(optional)
 Applications :City gas and natural gas installations.

型号 (Specification) :

F1/2"-F1/2" F1/2"-F4/3" F1/2"-M1/2" F3/4"-F3/4"
 F1/2"-M3/4" F3/4"-M3/4" F3/4"-M1/2".



- ①③④⑥⑧⑨ Nickel plated brass end fittings.
- ②⑦ Non-asbestos washer.
- ⑤ Metallic ripple hose



SHATTAF

产品特点:

耐高压, 耐摔, 出水角度小, 出水力强。

Product features:

high pressure, resistance to fall off, the water Angle is small, the water is strong.

产品用途:

清洁身体, 浇花草, 宠物洗澡, 洗马桶。

Product use:

clean the body, water the flowers and plants, pet to take a bath, wash the toilet.

